
Bluetooth



Harald Greifensteiner
Technology Consulting

All Rights Reserved



Inhalt:

- 1. Einleitung**
- 2. Radiointerface**
 - 2.1. Frequency Hopping
 - 2.2. Modulation
 - 2.3. Power Emission und Control
- 3. Baseband**
 - 3.1. BT Device Address
 - 3.2. Master Slave und Pico-Netze
- 4. Link Controller**
 - 4.1. LC Protokoll
 - 4.2. Piconet Operation
 - 4.3. Scatternet Operation
 - 4.4. Master – Slave Role Switching
 - 4.5. Low-ower Operation
- 5. Audio**
 - 5.1. Audio Transport
 - 5.2. Codecs
 - 5.3. Data Format und HCI
- 6. Link Manager**
 - 6.1. LMP Protokoll
 - 6.2. Link Setup
 - 6.3. Security
 - 6.4. QoS
- 7. Host Controller Interface**
 - 7.1. HCI Transport Layer
 - 7.2. Paging
 - 7.3. Power Control
- 8. Bluetooth Markt**
 - 8.1. Marktsegmente
 - 8.2. Forecasts
- 9. Ausblick**
 - 9.1. neue Bluetooth Profile
 - 9.2. Koexistenz mit WLAN